

---

**Avocent® ACS 8xxx Advanced Console System Plug-in  
for the Avocent® DSView™ Management Software  
Release Notes  
Version 1.0.0.10  
June 30, 2017**

---

This document outlines:

1. Update Instructions
2. Language Support Information
3. Enhancements
4. TCP Port Information for Communication with the ACS 8xxx Advanced Console System

---

**1. Update Instructions**

---

**IMPORTANT NOTES:** The Avocent® ACS 8xxx advanced console system plug-in version 1.0.0.10 requires Avocent™ DSView™ management software version 4.5 SP6 or higher. It is also recommended to upgrade the ACS 8xxx advanced console system firmware to version 1.2.5.

---

**2. Language Support Information**

---

The following languages are supported by ACS 8xxx console system plug-in version 1.0.0.10:

- English
- Japanese
- Simplified Chinese

Product	Software Type	Version	File Name
ACS 8xxx Advanced Console System	ACS 8xxx Advanced Console System plug-in for DSView™ software	1.0.0.10	plugin_ACS8000_1.0.0.10_161214.jar.zip plugin_ACS8000_1.0.0.10_161214.jar.zip.md5.txt

---

---

### 3. Enhancements

---

---

The Avocent® ACS 8xxx advanced console system version 1.0.0.10 plug-in allows you to manage the ACS 8xxx advanced console system appliance family from the Avocent™ DSView™ software. Please refer to the user guide accompanying the Avocent® ACS 8xxx advanced console system for additional details about supported system features.

The following enhancements have been added to the Avocent® ACS 8xxx advanced console system version 1.0.0.10 plug-in since the previous release (version 1.0.0.5):

- Generalized event strings to support ACS advanced console systems that will use this plug-in in the future
  - Fixed issue where power information was not being displayed properly on the System information page
  - Completed localization updates for Japanese and Chinese languages
- 
- 

### 4. TCP Port Information for Communication with the ACS 8xxx Advanced Console System

---

---

The following appliance ports can accept connections from the DSView™ software:

- TCP port 3502 (https)
- TCP port 3871 (adsap2)
- UDP port 3211 (aidp)
- TCP port 22 (sshd)

Additionally, these are the ports in the DSView™ software that can accept connections from the appliance:

- TCP port 4122 (default, it can be changed – SSH Server)
- TCP port 4514 (default, it can be changed – Data Logging or Syslog Server)

*Avocent, the Avocent logo and DSView are trademarks or service marks of Avocent Corporation. All other marks are the intellectual property of their respective owners. This document may contain confidential and/or proprietary information of Avocent Corporation, and its receipt or possession does not convey any right to reproduce, disclose its contents, or to manufacture or sell anything that it may describe. Reproduction, disclosure, or use without specific authorization from Avocent Corporation is strictly prohibited. ©2017 Avocent Corporation. All rights reserved.*